

Toll Free: 1-800-888-1352

Fax: 1-541-855-1165



MODEL CA8000 **SMART SHEAR**



scan here for video

A Powerful Stationary, Mobile, or Skid Mounted Shear


The CA8000 Cable Cutter is a remarkable hydraulic shear that can handle virtually any size cable or wire rope directed into its robust feedworks.

The feedworks on the CA8000 Cable Cutter makes short work of spooled material, and effortlessly drags extremely long sections of scrap material into its powerful cutting chamber. This built-in 2,000-pound pull eliminates hours of labor intensive and dangerous cable handling. The CA8000 Cable Cutter can be customized as a mobile trailer unit or as a skid mount, and is designed to withstand the harsh environmental conditions in which the unit may be required to work.

Material Reference

The recommended model of scrap chopper is determined by scrap size, scrap volume, and requested custom features. The following are materials commonly processed through the CA8000. Please consult a SWEED representative to determine the appropriate scrap chopper for your application.

- » Steel Wire Rope
- » Logging Cable
- » Crane Cable
- » Various Large Diameter Cable
- » Large Diameter Pipe
- » Steel Trim
- » Steel Rebar
- » Chrome Cable
- » Steel Rebar



CONSTRUCTION FEATURES

- » Dual hydraulic driven feedrolls
- » Computer control unit
- » 8" diameter cutting cylinder
- » Footswitch controlled air activated feedworks
- » Knives have 4 usable edges and can be rotated (3 times) for extended life
- » Hinged front guard allows for easy routine maintenance
- » Made and supported in the USA
- » One year warranty

SWEED

653 2nd Ave, PO Box 228 | Toll Free: 1-800-888-1352
Gold Hill, Oregon, 97525 | Fax: 541-855-1165

Learn more about SWEED Solutions at
www.sweed.com

MODEL CA8000

PRODUCT SPECIFICATIONS

PERFORMANCE DATA

Electric Motor	10 + HP
Electrical Options	Multiple Options Available
Infeed Motor	Dual Hydraulic Infeed Motor
Infeed Speed	0 – 200 FPM
Cut Length	Variable – PLC Controlled
Infeed Opening	3 ½" x 3 ½"
Overall Dimensions	50" L x 24" W x 40" H
Machine Weight	Varies – Based on Options
Number of Stationary Knives	1
Number of Rotating Knives	1
Air Requirements	2 CFM 60 psi

The Model CA8000 is NOT standard with a power supply cord. SWEED can quote a power supply cord and plug to meet your electrical specifications. Non-standard voltages are subject to an additional charge.

Additional Safety Upgrades

- » Custom Infeed Funnels
- » Safety Switches
- » Foot Kill Switch Feedworks Control
- » Safety Exhaust Spillway Chute
- » Machine in Use Light Indicator
- » Wash-Down Motor & Electrical
- » Momentary Foot Switch Pedal
- » Sound Dampening
- » Auto Starts & Stops
- » Timed Stops

Upgrades for Special Applications

- » Split Infeed
- » Custom and Variable Infeed Rates
- » No Feedworks
- » Robotic Interface

Optional Stands

- » Customizable Per Requirements

Optional Containers

- » Outtake Conveyor
- » ½ Yard EZ Dump Hopper